UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/817,249	04/05/2004	Tohru Nakano	251418US2	251418US2 2736		
22850	7590 09/27/2006		EXAM	EXAMINER		
	MCCLELLAND	WALSH,	WALSH, RYAN D			
OBLON, SP 1940 DUKE	IVAK, MCCLELLAND, M STREET	ART UNIT	PAPER NUMBER			
ALEXANDI	RIA, VA 22314	2852				
			DATE MAILED: 09/27/2006			

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application	on No.	Applicant(s)					
Office Action Commence		10/817,24	9	NAKANO ET AL.					
	Office Action Summary	Examiner		Art Unit					
		Ryan D. V	/alsh	2852					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply									
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).									
Status									
1)⊠	Responsive to communication(s) filed on 17	July 2006.							
•=	This action is FINAL . 2b)⊠ This action is non-final.								
, —	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is								
-,	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
Disposition of Claims									
·	_								
-	Claim(s) <u>1-42</u> is/are pending in the application.								
	4a) Of the above claim(s) <u>13-42</u> is/are withdrawn from consideration. Claim(s) is/are allowed.								
	Claim(s) is/are allowed. Claim(s) <u>1-12</u> is/are rejected.								
·									
·	Claim(s) is/are objected to. Claim(s) are subject to restriction and/or election requirement.								
		701 CICCHOTT	squirement.						
Applicati	on Papers								
9) 🗌 🤈	The specification is objected to by the Exami	ner.							
10)⊠ The drawing(s) filed on <u>05 April 2004</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.									
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).									
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).									
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.									
Priority u	ınder 35 U.S.C. § 119								
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 									
2) Notic 3) Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date See Continuation Sheet.		4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate					

Continuation of Attachment(s) 3). Information Disclosure Statement(s) (PTO/SB/08), Paper No(s)/Mail Date :7/6/04 (two), 5/30/06, 7/25/05, 3/2/05.

DETAILED ACTION

Election/Restrictions

Applicant's election without traverse of claims 1-12 in the reply filed on July 17, 2006 is acknowledged.

Information Disclosure Statement

The information disclosure statements filed July 25, 2005 and March 2, 2005 fail to comply with 37 CFR 1.98(a)(3) because they does not include a concise explanation of the relevance, as it is presently understood by the individual designated in 37 CFR 1.56(c) most knowledgeable about the content of the information, of each patent listed that is not in the English language. They have been placed in the application file, but the information referred to therein has not been considered.

Specification

The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-7, 9 and 11 are rejected under 35 U.S.C. 102(b) as being anticipated by Yoshikawa (US Pat. # 6,128,461).

Page 3

Regarding claims 1 and 11, Yoshikawa teaches, "(Image forming apparatus including...) A cleaning unit for removing toner remaining on a surface of an image carrier of an image-forming apparatus, comprising: a vibration member (see Fig. 2, parts between 3 & 15, also see Col. 6, Ln. 21) extending in a direction of a width of the image carrier, the vibration member having at least one vibration application part (Fig. 2, ref. # 15) attached thereto; a blade member (3) attached to at least an end region of the vibration member, the blade member extending in the direction of the width of the image carrier; and a driving part (Abstract, Ln. 6-12) configured to drive the at least one vibration application part at a driving frequency, the driving frequency being a resonance frequency (Col. 4, Ln. 36-40), wherein the vibration member is configured to provide vibration to the blade member and a force to press the blade member against the image carrier (Col. 6, Ln. 19-27)."

Regarding claim 2, Yoshikawa teaches, "wherein the driving part is configured to be capable of changing the driving frequency (Col. 4, Ln. 36-44)."

Regarding claim 3, Yoshikawa teaches, "wherein the driving frequency of the driving part is set based on frictional resistance between the blade member and the image carrier (Col. 5, Ln. 38-61 & Col. 6, Ln. 34-37)."

Regarding claim 4, Yoshikawa teaches, "wherein the driving frequency of the driving part is set based on a coefficient of friction of the surface of the image carrier (Col. 1, Ln. 56-67, Col. 2, Ln. 1-26, Col. 5, Ln. 38-61 and Col. 6, Ln. 35-37)."

Regarding claim 5, Yoshikawa teaches, "wherein the driving frequency of the driving part is set based on rotational torque of the image carrier (Col. 5, Ln. 38-61 and Col. 6, Ln. 34-37, Rotational Torque → Rotational Friction)."

Regarding claim 6, Yoshikawa teaches, "wherein the driving frequency of the driving part is set based on a result of detection of a cleaning characteristic (Col. 7, Ln. 4-12)."

Regarding claim 7, Yoshikawa teaches, "wherein the at least one vibration application part includes a piezoelectric element (Col. 6, Ln. 19-20)."

Regarding claim 9, Yoshikawa teaches, "wherein the resonance frequency is determined by the blade member and the image carrier (Col. 5, Ln. 38-61 & Col. 6, Ln. 34-37, equivalent to friction resistance between the blade member and image carrier)."

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 8, 10 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yoshikawa (US Pat. # 6,128,461) in view of Kobayashi et al. (US Pub # 2002/0057927), hereinafter referred to as Kobayashi.

Regarding claim 8, Yoshikawa does not teach, "wherein the toner is polymerized toner formed by polymerization." However, Kobayashi teaches the deficiencies of Yoshikawa (see paragraph [0152]). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Yoshikawa's invention to include wherein the toner is polymerized toner formed by polymerization.

The ordinary artisan would have been motivated to modify Yoshikawa's invention in a manner described above for at least the purpose of reducing fog image and residual toner on the photo drum, in turn reducing the problems associated with cleaning the drum.

Regarding claim 10, Yoshikawa teaches, "at least one of an image carrier, a charging unit, a development unit, and a transfer unit; and a cleaning unit configured to remove toner remaining on a surface of the image carrier, the cleaning unit including: a vibration member extending in a direction of a width of the image carrier, the vibration member having at least one vibration application part attached thereto; a blade member attached to at least an end region of the vibration member, the blade member extending in the direction of the width of the image carrier; and a driving part configured to drive the at least one vibration application part at a driving frequency, the driving frequency being a resonance frequency, wherein the vibration member is configured to provide vibration to the blade member and a force to press the blade member against the image

carrier (Shown in claim 1 above)." Yoshikawa does not teach, "a process cartridge freely attachable to and detachable from a main body of an image forming apparatus." However, Kobayashi teaches the deficiencies of Yoshikawa (see Paragraph [0087]). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Yoshikawa's invention to include a process cartridge freely attachable to and detachable from a main body of an image forming apparatus.

The ordinary artisan would have been motivated to modify Yoshikawa's invention in a manner described above for at least the purpose of providing the ability to exchange an expired cartridge void of toner (easier maintenance).

Regarding claim 12, Yoshikawa teaches, "at least one of an image carrier, a charging unit, a development unit, and a transfer unit; and a cleaning unit configured to remove toner remaining on a surface of the image carrier, the cleaning unit including: a vibration member extending in a direction of a width of the image carrier, the vibration member having at least one vibration application part attached thereto; a blade member attached to at least an end region of the vibration member, the blade member extending in the direction of the width of the image carrier; and a driving part configured to drive the at least one vibration application part at a driving frequency, the driving frequency being a resonance frequency, wherein the vibration member is configured to provide vibration to the blade member and a force to press the blade member against the image carrier (Shown in claim 1 above)." Yoshikawa does not teach, "an image-forming apparatus forming a color image, comprising: a plurality of process cartridges freely attachable to and detachable from a main body of the image forming apparatus."

However, Kobayashi teaches the deficiencies of Yoshikawa (see Fig. 3). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Yoshikawa's invention to include an image-forming apparatus forming a color image, comprising: a plurality of process cartridges freely attachable to and detachable from a main body of the image forming apparatus.

The ordinary artisan would have been motivated to modify Yoshikawa's invention in a manner described above for at least the purpose of providing the ability to exchange an expired cartridge void of toner (easier maintenance).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ryan D. Walsh whose telephone number is 571-272-2726. The examiner can normally be reached on M-F 8:00am-4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Gray can be reached on 571-272-2119. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/817,249 Page 8

Art Unit: 2852

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Ryan D. Walsh Patent Examiner Art Unit 2852

> DAVID M. GRAY SUPERVISORY PATENT EXAMINER